



| Leeftijd | Beschikbare maten | Herkomsten |
|----------|-------------------|------------|
|----------|-------------------|------------|

Abies fraseri

| | | |
|-----|---|--|
| 2+0 | 5 | |
|-----|---|--|

Abies nordmanniana

| | | |
|-----|----|--------|
| 2+0 | 5 | |
| 2+2 | 15 | Italië |
| 2+3 | 30 | |

Acer campestre

| | | |
|-----|-------------------------------|--|
| 1+0 | 20 | |
| 1+1 | 60 | |
| 1+2 | 60, 80, 100 | |
| 2+0 | 20, 40, 60, 80, 100, 125, 150 | |
| 2+2 | 80, 100, 125, 150 | |

Acer palmatum

| | | |
|-----|-----------------|--|
| 1+0 | 20 | |
| 1+2 | 40, 60, 80, 100 | |
| 2+0 | 40, 60 | |

Acer platanoides

| | | |
|-----|----|--|
| 1+1 | 40 | |
|-----|----|--|

Acer pseudoplatanus

| | | |
|-----|-------------|------|
| 1+1 | 60, 80, 100 | DE01 |
| 3+0 | 60, 80, 100 | DE01 |

Alnus cordata

| | | |
|-----|----|--|
| 1+0 | 20 | |
| 2+0 | 40 | |

Alnus glutinosa

| | | |
|-----|-------------|-------------------------|
| 1+0 | 10, 20 | DE03, DE05, UK403 |
| 1+1 | 60, 80, 100 | |
| 2+0 | 20, 40, 60 | DE03, DE04, DE07, UK403 |



| Leeftijd | Beschikbare maten | Herkomsten |
|----------|-------------------|------------|
|----------|-------------------|------------|

Alnus incana

| | | |
|-----|----|--|
| 1+1 | 60 | |
|-----|----|--|

Amelanchier lamarckii

| | | |
|-----|-----------|--|
| 1+0 | 5, 15, 30 | |
|-----|-----------|--|

| | | |
|-----|---------------------|--|
| 1+1 | 20, 40, 60, 80, 100 | |
|-----|---------------------|--|

| | | |
|-----|--------|--|
| 1+2 | 40, 60 | |
|-----|--------|--|

| | | |
|-----|--------|--|
| 2+2 | 40, 60 | |
|-----|--------|--|

Amelanchier spicata

| | | |
|-----|-----------------|--|
| 1+2 | 40, 60, 80, 100 | |
|-----|-----------------|--|

| | | |
|-----|-------------|--|
| 2+2 | 60, 80, 100 | |
|-----|-------------|--|

Aronia melanocarpa

| | | |
|-----|----|--|
| 1+0 | 20 | |
|-----|----|--|

| | | |
|-----|----|--|
| 2+0 | 30 | |
|-----|----|--|

| | | |
|-----|-----------------|--|
| 2+2 | 40, 60, 80, 100 | |
|-----|-----------------|--|

Berberis julianae

| | | |
|-----|----|--|
| 1+1 | 20 | |
|-----|----|--|

| | | |
|-----|----|--|
| 2+0 | 10 | |
|-----|----|--|

Berberis thunbergii

| | | |
|-----|----|--|
| 1+2 | 30 | |
|-----|----|--|

Betula pendula

| | | |
|-----|--------|---------------|
| 1+0 | 10, 20 | DE04, UK07280 |
|-----|--------|---------------|

| | | |
|-----|------------------|-------------|
| 1+2 | 60, 80, 100, 125 | DE02, UK403 |
|-----|------------------|-------------|

| | | |
|-----|------------|-------|
| 2+0 | 30, 40, 60 | UK403 |
|-----|------------|-------|

Betula pubescens

| | | |
|-----|----|-------------------|
| 1+0 | 20 | Ierland Cheychase |
|-----|----|-------------------|

| | | |
|-----|------------------|-------|
| 1+2 | 60, 80, 100, 125 | UK403 |
|-----|------------------|-------|

| | | |
|-----|--------|-------|
| 2+0 | 30, 40 | UK403 |
|-----|--------|-------|

Buxus microphylla faulkner

| | | |
|-----|----|--|
| 0+2 | 30 | |
|-----|----|--|



| Leeftijd | Beschikbare maten | Herkomsten |
|-----------------------------|---------------------------|----------------------|
| Buxus sempervirens | | |
| 1+2 | 40 | |
| Caragana arborescens | | |
| 3+0 | 60, 80, 100 | |
| Carpinus betulus | | |
| 1+0 | 10 | DE04 |
| 1+2 | 40, 60, 80, 100 | Slovenië |
| 2+0 | 40, 60, 80, 100 | Slovenië |
| 2+2 | 40, 60, 80, 100, 125, 150 | |
| 3+0 | 40, 60, 80, 100 | |
| 4+0 | 60, 80, 100, 125 | |
| Castanea sativa | | |
| 1+0 | 30 | Italië Emilia Romana |
| 2+0 | 40, 100 | |
| Catalpa bignonioides | | |
| 1+0 | 40, 60 | |
| Cedrus deodara | | |
| 1+0 | 5 | |
| Cornus alba | | |
| 1+0 | 40 | |
| 3+0 | 30 | |
| Cornus mas | | |
| 1+0 | 20 | |
| 1+2 | 30, 40, 60 | |
| Cornus sanguinea | | |
| 1+0 | 30, 40 | |
| 1+1 | 40, 60 | |
| 2+0 | 40, 60 | |



| Leeftijd | Beschikbare maten | Herkomsten |
|----------|-------------------|------------|
|----------|-------------------|------------|

Corylus avellana

| | | |
|-----|------------|--|
| 1+0 | 10 | |
| 1+1 | 40, 60, 80 | |
| 1+2 | 60, 80 | |

Corylus avellana geant de halle

| | | |
|-----|----|--|
| 1+2 | 40 | |
|-----|----|--|

Corylus avellana maxima purpu

| | | |
|-----|----|--|
| 1+2 | 40 | |
|-----|----|--|

Corylus avellana Nottingham Fr

| | | |
|-----|----|--|
| 1+2 | 40 | |
|-----|----|--|

Corylus colurna

| | | |
|-----|------------------|--|
| 1+0 | 10 | |
| 3+0 | 60, 80, 100, 125 | |

Cotoneaster franchetti

| | | |
|-----|--------|--|
| 2+0 | 40 | |
| 3+0 | 40, 60 | |

Cotoneaster lucidus

| | | |
|-----|----|--|
| 1+0 | 30 | |
| 2+1 | 40 | |

Crataegus monogyna

| | | |
|-----|------------|--|
| 1+0 | 30 | |
| 1+1 | 40 | |
| 1+2 | 20, 40, 80 | |

Cupressocyparis leylandii

| | | |
|----|---------|--|
| C4 | 80, 120 | |
| P9 | 30 | |



| Leeftijd | Beschikbare maten | Herkomsten |
|----------|-------------------|------------|
|----------|-------------------|------------|

Cytisus scoparius

| | | |
|-----|------------|--|
| 1+0 | 20 | |
| 2+0 | 20, 40, 60 | |

Euonymus europaeus

| | | |
|-----|--------|--|
| 1+0 | 30 | |
| 2+0 | 20, 40 | |

Fagus sylvatica

| | | |
|-----|--------------------------------|---|
| 1+0 | 20 | DE02 |
| 1+2 | 40, 60, 80, 100 | DE08 |
| 2+ | 100 | |
| 2+0 | 20, 40, 50 | |
| 2+2 | 40, 60, 80, 100, 125, 150, 175 | |
| 2+5 | 80, 100, 125, 150, 175 | BE Brabants District West, DE08, NL Park 't Loo |
| 3+0 | 40, 80 | |

Ginkgo biloba

| | | |
|-----|-----------------|--|
| 2+0 | 20, 40 | |
| 2+1 | 30 | |
| 2+2 | 40, 60, 80, 100 | |

Hibiscus syriacus

| | | |
|-----|------------|--|
| 1+1 | 30 | |
| 1+2 | 30, 40, 60 | |
| 2+0 | 20, 40 | |
| 2+1 | 30 | |
| 2+2 | 40, 60 | |

Hippophae rhamnoides

| | | |
|-----|--------|--|
| 1+0 | 20 | |
| 1+2 | 60, 80 | |

Ilex aquifolium

| | | |
|-----|---|--|
| 1+0 | 5 | |
|-----|---|--|



| Leeftijd | Beschikbare maten | Herkomsten |
|----------|-------------------|------------|
|----------|-------------------|------------|

Juglans regia

| | | |
|-----|----|--|
| 1+0 | 10 | |
| 2+1 | 40 | |

Laburnum anagyroides

| | | |
|-----|----------------|--|
| 1+0 | 20 | |
| 1+1 | 40, 60, 80 | |
| 2+0 | 20, 40, 60, 80 | |

Larix decidua

| | | |
|-----|------------|------|
| 2+0 | 30, 40, 60 | DE03 |
|-----|------------|------|

Larix eurolepis

| | | |
|-----|------------|------|
| 2+0 | 30, 40, 60 | DE00 |
|-----|------------|------|

Ligustrum ovalifolium

| | | |
|-----|----------------------|--|
| 0+1 | 30 | |
| 0+2 | 40, 60, 80, 100, 125 | |
| 1+0 | 10 | |

Ligustrum vulgare atrovirens

| | | |
|-----|-------------|--|
| 0+1 | 30 | |
| 0+2 | 40, 60, 100 | |

Ligustrum vulgare

| | | |
|-----|-------------|--|
| 0+2 | 40, 60 | |
| 0+3 | 60, 80, 100 | |
| 1+0 | 5 | |
| 1+1 | 30 | |
| 1+2 | 60, 80 | |

Liquidambar styraciflua

| | | |
|-----|--------|--|
| 1+0 | 20 | |
| 2+0 | 20 | |
| 3+0 | 60, 80 | |



| Leeftijd | Beschikbare maten | Herkomsten |
|----------|-------------------|------------|
|----------|-------------------|------------|

Liriodendron tulipifera

| | |
|-----|--------|
| 1+0 | 30, 40 |
| 2+0 | 20, 40 |

Lonicera nitida maigrum

| | |
|-----|----|
| 0+1 | 20 |
| C2 | 30 |

Lonicera xylosteum

| | |
|-----|----|
| 1+0 | 20 |
|-----|----|

Mahonia aquifolium

| | |
|-----|----|
| 1+0 | 30 |
|-----|----|

Malus communis

| | |
|-----|----|
| 2+0 | 30 |
|-----|----|

Malus sylvestris

| | |
|-----|----|
| 1+0 | 20 |
|-----|----|

Mespilus germanica

| | |
|-----|----------------------|
| 1+0 | 20 |
| 1+2 | 40, 60, 80, 100, 125 |
| 2+2 | 60, 80 |
| 3+0 | 60, 80, 100 |

Morus alba

| | |
|-----|-------------|
| 1+0 | 20 |
| 2+0 | 40, 60, 80 |
| 3+0 | 60, 80, 100 |

Morus nigra

| | |
|-----|-------------|
| 1+0 | 20 |
| 2+0 | 20, 40, 60 |
| 3+0 | 60, 80, 100 |



| Leeftijd | Beschikbare maten | Herkomsten |
|----------|-------------------|------------|
|----------|-------------------|------------|

Paulownia tomentosa

1+0

Picea abies

2+1 20, 30

Pinus sylvestris

2+1 80

Prunus avium

1+0 20, 40, 60, 80 DE04, Italië

Prunus damascena noir

3+0 60, 80, 100, 125

Prunus laurocerasus rotundifolia

0+2 30

0+3 40

1+2 30

Prunus myrobalan

1+0 40, 60, 80

Prunus padus

1+0 5

Prunus spinosa

1+0 30

1+2 60, 80, 100

2+0 60, 80, 100, 125

3+0 60, 80, 100

Pseudotsuga menziesii

2+0 20, 40 DE02, DE05



| Leeftijd | Beschikbare maten | Herkomsten |
|-------------------------------------|-------------------|-----------------|
| Pyrus communis | | |
| 2+0 | 15, 20, 40 | |
| 2+2 | 80 | |
| 3+0 | 40, 60, 80, 100 | |
| Quercus petraea | | |
| 1+0 | 20 | DE01 |
| Quercus robur | | |
| 2+0 | 40, 60 | NL Beek en Donk |
| Quercus rubra | | |
| 1+0 | 20, 30 | DE02 |
| 2+0 | 40, 60 | NL Elsendorp |
| Rhamnus cathartica | | |
| 1+2 | 60, 80, 100, 125 | |
| 2+0 | 20 | |
| Rhamnus frangula | | |
| 1+1 | 40, 60 | |
| 1+2 | 60, 80, 100, 125 | |
| 2+0 | 30, 40, 60, 80 | |
| 3+0 | 40, 60, 80, 100 | |
| Ribes josta | | |
| 0+1 | 30 | |
| Ribes nigrum Titania | | |
| 0+1 | 20, 30 | |
| 2+1 | 40 | |
| Ribes rubrum jonkheer v tets | | |
| 0+1 | 30 | |
| 0+2 | 40, 60 | |
| 0+3 | 40, 60, 80 | |



Leeftijd Beschikbare maten Herkomsten

Ribes rubrum witte parel

0+1 30
0+2 20, 40

Robinia pseudoacacia

1+0 40, 60
2+0 60, 80, 100, 125, 150, 175

Rosa canina

1+0 40
1+2 40

Rosa rugosa

2+0 20

Rosa rugosa alba

2+0 40

Rosa rugosa rubra

2+0 40

Rubus fruticosus

1+0 20
2+0 40

Rubus idaeus

0+2 30

Rubus idaeus autumn bliss

0+2 30

Rubus idaeus blondy

0+2 30

Rubus idaeus fallgold

0+2 30



| Leeftijd | Beschikbare maten | Herkomsten |
|----------|-------------------|------------|
|----------|-------------------|------------|

Sambucus nigra

| | |
|-----|-------------|
| 1+0 | 20, 30, 40 |
| 1+1 | 60, 80 |
| 2+1 | 60, 80, 100 |

Sambucus racemosa

| | |
|-----|------------|
| 1+0 | 40, 60 |
| 2+0 | 40, 60, 80 |
| 3+0 | 40, 60 |

Sorbus aucuparia

| | |
|-----|------------|
| 1+0 | 30, 60 |
| 1+1 | 40, 80 |
| 1+2 | 40, 60, 80 |

Sorbus torminalus

| | |
|-----|----|
| 2+0 | 10 |
|-----|----|

Symphoricarpos chenaultii Hanc

| | |
|-----|----|
| 0+1 | 20 |
| 0+2 | 30 |
| 0+3 | 60 |

Symphoricarpos doorenbosii Mo

| | |
|-----|--------|
| 0+1 | 20 |
| 0+2 | 30 |
| 0+3 | 40, 60 |
| 1+2 | 60, 80 |

Syringa vulgaris

| | |
|-----|------------|
| 1+2 | 10, 20, 30 |
| 2+0 | 20 |
| 2+2 | 40, 60 |
| 3+0 | 25 |

Tamarix ramosissima

| | |
|-----|-------------|
| 0+1 | 40 |
| 0+2 | 60, 80, 100 |



| Leeftijd | Beschikbare maten | Herkomsten |
|----------|-------------------|------------|
|----------|-------------------|------------|

Taxus baccata

| | | |
|-----|---|--|
| 1+0 | 5 | |
|-----|---|--|

Tilia cordata

| | | |
|-----|-------------|----------------|
| 1+0 | 30, 40, 60 | DE07, Tsjechië |
| 1+2 | 60, 80, 100 | |
| 2+0 | 60, 80, 100 | |
| 2+1 | 40, 60 | |

Tilia platyphyllos

| | | |
|-----|----------------------|------|
| 1+0 | 30, 40, 60, 100, 125 | DE01 |
| 1+2 | 40 | |
| 2+0 | 60, 80, 100, 125 | |
| 3+0 | 80, 100, 125 | DE01 |

Ulmus campestre

| | | |
|-----|----|--|
| 1+1 | 60 | |
|-----|----|--|

Ulmus glabra

| | | |
|-----|------------------|--|
| 1+0 | 20 | |
| 1+2 | 60, 80, 100, 125 | |

Ulmus minor

| | | |
|-----|--------|--|
| 2+0 | 20, 40 | |
|-----|--------|--|

Viburnum lantana

| | | |
|-----|----|--|
| 1+1 | 20 | |
| 1+2 | 40 | |
| 2+0 | 40 | |

Viburnum opulus

| | | |
|-----|-----------------|--|
| 1+0 | 20, 40 | |
| 1+1 | 40, 60 | |
| 1+2 | 40, 60, 80, 100 | |
| 2+0 | 10, 30, 40 | |



**VEREECKE
DE CLEENE NV**

Voorraadlijst

G.S.M. 0032 478 58 59 96

Tel: 0032 9 357 53 26

anita@vereeckenv.be

www.vereeckenv.be

BTW BE0425.963.721/06.08.1.1

R.P.R. Gent

IBAN: BE17 3900 1767 0021

BIC-code: BBRUBEBB

Leeftijd

Beschikbare maten

Herkomsten

Wisteria sinensis

1+0 6

1+1 10